

MIRRORSTONE

LIGHTING SPECIALIST

EasiLight 75W Single Colour Dimming LED Driver (Wi-Fi + 2.4G)

MS-EZI-WL1-P75

1. Features

This product makes use of WIFI, Bluetooth and 2.4GHz wireless transmission technology for a faster transmission with a strong anti-interference ability that consumes less power than alternatives on the market.

Combining WIFI and Bluetooth together means the connectivity of this device is massively enhanced. Even when your WIFI fails or your router is disconnected, the Bluetooth functionality means you can still control your lights at close range.

After setting up your network, you can use the **MiBoxer Smart App** to get wireless dimming, group control, scene control, timing control, a sleep plan and a whole range of other functions (listed below).

This driver is also compatible with selected 2.4G remote controls.

Single Colour LED Light



Dimmable



2.4G RF Wireless transmission technology



WiFi wireless control



Auto-transmission (for remote control dimming only)




Device sharing



Tap-to-run & automation



Timer settings



PUSH Dimming



Do not disturb mode



30m remote control distance



Smartphone app control



Third party voice control support



Group control



Biorhythm



Music synchronisation





















Sleep/Wakeup plan



Scene customisation


Dual White LED Light

- | | | | |
|--|---|---|-----------------------------------|
|  | Colour temperature adjustable |  | 30m remote control distance |
|  | Dimmable |  | Smartphone app control |
|  | 2.4G RF Wireless transmission |  | Third party voice control support |
|  | WiFi wireless control |  | Group control |
|  | Auto-transmission (for remote control dimming only) |  | Biorhythm |
|  | Device sharing |  | Music synchronisation |
|  | Tap-to-run & automation |  | Sleep/Wakeup plan |
|  | Timer settings |  | Scene customisation |
|  | PUSH Dimming |  | Do not disturb mode |

2. Auto Transmitting (Remote Control Only)

Signal Transmitting

One light can transmit the signals from a remote control to another light within 30m. As a result, as long as there is a light within 30m, the remote control distance can be theoretically limitless.



3. Linking/Unlinking Instructions

Linking Instructions



Switch off the light, wait 10 seconds, then switch them on again.

Short press the "I" button 3 times within 3 seconds.

The light will blink 3 times slowly to indicate a successful linking.



If the light does not blink slowly, the linking has not been successful. Please follow the above steps again.

Note: That lights that have linked cannot link again.

Unlinking Instructions



Switch off the light, wait 10 seconds, then switch them on again.

Short press the "I" button 5 times within 3 seconds.

The light will blink 10 times quickly to indicate a successful unlinking.



If the light does not blink quickly, the unlinking has not been successful. Please follow the above steps again.

Note: That lights that have never linked don't need to be unlinked.

4. Push Dimming

- **Short press** the PUSH switch to turn the light on or off
- **Long press** the PUSH for stepless dimming. Long press, release, and long press again to increase or decrease brightness levels

5. Smartphone App Control

1. Download and install the **MiBoxer Smart** or **Tuya Smart** app.

You can search for either of these apps in the Google Play Store, or the App Store. Alternatively, you can scan one of the two QR codes here to download it directly.

The first time you open either app, you will need to select the Register button and create an account. If you already have an account, you can log in directly.



MiBoxer Smart




Tuya Smart

2. **Network Configuration**

- Connection your controller to the power supply.
- Confirm the indicator light is flashing quickly (there should be 2 flashes per second)
If it isn't flashing, there are two solutions:
Long press the SET key until the indicator light flashes.
Turn the controller off and on 3 times.
- Connect your phone to your home WIFI network. Make sure it's using the 2.4GHz frequency.



- Open the app and select the + button in the upper right corner of the page.



- Follow the prompts the app provides.

6. QR Codes

If you want to learn how to pair your controller with a smartphone app, or with a third party voice control system, you can scan these QR codes to watch an instructional video.



Smartphone app control



Third party voice control

7. Attention

1. Please check whether the voltage of the power supply is in accordance with the light. Please also check the connection of the cathode and anode, or else you risk damage to the light.
2. Never connect wires with the power on.
3. Only turn on the power when the connection is correct and there is no risk of a short circuit.
4. Only professionals should dismantle this fitting directly.
5. Do not use this light in locations with a lot of metal or strong electromagnetic waves, as this will affect the remote distance.

Compatible With The Following Remotes (Sold Separately)



MS-F007



MS-00T1



MS-ZONEWPB8



MS-EZI-FUT087



MS-EZI-S1

MIRRORSTONE

LIGHTING SPECIALIST

sales@mirrorstone.co.uk
www.mirrorstonelighting.co.uk/
86 Scudamore Road Leicester, LE3 1UQ
+44 (0) 116 321 4121